

Texas Department of State Health Services

Perinatal Hepatitis B in Texas

Rachel Wiseman, MPH

Overview



Texas Department of State Health Services

Identify ALL HBsAg positive pregnant women and their infants.

Assure administration of postexposure prophylaxis within 12 hours of birth to exposed infants.

Universal hepatitis B vaccine birth dose administration.

Identify and vaccinate susceptible household contacts ≤ 24 months of age; household contacts >24 months of age and sexual contacts are referred out.

Assure completion of hepatitis B vaccine series and Postvaccination Serologic Testing (PVST) of exposed infants.

Conduct active surveillance, quality assurance, outreach, and education to improve the PHBPP program.

- CDC Estimates
- PHBPP Demographics
- PHBPP Performance
 Measures

NOTE:

All 2017 data is provisional. Babies born in 2017 may not be old enough to have completed the series or be tested for infection/immunity.

Data for San Antonio and Houston is not included in any of the data presented.



CDC Estimates of Births to Hepatitis B-infected Women

		United States-Born ¹					Takal Birkha
Maternal	Births	White, Non-	Black, Non-	Hispanic	Asian/Pacific	Other/	Total Births
Residenc - T	DII (IIS	Hispanic 🔻	Hispanic 🔻	₹	Islander 🔻	Unknown 🔻	
Texas	All Births	118,747	30,330	87,963	3,014	959	325,569
Texas	HBsAg Births	202	194	79	30	11	1,194
Houston	All Births	8,161	9,429	11,559	760	55	53,842
	HBsAg Births	14	60	10	8	1	313
San Antonio	All Births	4,789	1,371	12,780	197	49	24,185
	HBsAg Births	8	9	12	2	1	67

Source of HBsAg prevalence estimates:

- National Health and Nutrition Examination Survey 2009-2014
- 2009-2014 Annual Reports
- Walker TY, Smith EA, Fenlon N, et al. Characteristics of Pregnant Women with Hepatitis B Virus Infection in Five U.S. Public Health Jurisdictions, 2008–2012.
 Public Health Reports. 2016 Aug 2016.



CDC Estimates & Texas PHBPP

CDC

•Point:1194

•Low: 882

Texas

•2015: 648 _(54%)

•2016: 654 (55%)



Questions We Need to Answer

Who are these missing moms?


Where are these missing moms?

How do we find them or get them reported to us?

1194 Moms



Drilling Down the Estimate



East Asia: China, Hong Kong, Japan, North Korea, South Korea, Macau, Mongolia, Taiwan, Southern Ryukyu Islands Southeast Asia: Burma, Brunei, Cambodia, Indonesia, Laos, Malaysia, Paracel Islands, Spratly Islands, Papua New Guinea, Timor, Philippines, Singapore, Thailand, East Timor, Vietnam 6

Maternal Country of Birth, Texas PHBPP, 2016




Country	Number of Moms (%)
VIETNAM	129 (18%)
UNKNOWN	101 (14%)
USA	79 (11%)
CHINA	74 (10%)
NIGERIA	68 (9%)
BURMA	24 (3%)
CONGO	24 (3%)
INDIA	18 (3%)
TAIWAN	14 (2%)
MEXICO	12 (2%)
TOTAL	716

An additional 57 countries are represented in the 2016 enrollment.⁷


Infants Born to Foreign-Born and US-Born Moms, 2015






Maternal Age, Texas PHBPP, 2016-17*








Infants Born to HBV-infected Moms, Texas PHBPP, 2013-17*





*Data is provisional as of 5/1/18


Perinatal Infection in Infants, Texas, 2003-18*






Infants with Birth Dose/HBIG within 1 Day of Birth, 2013-17*






Infants with Birth Dose/HBIG within 1 Day of Birth by PHR, 2016






Infants that Completed the Series, 2013-17*






Infants that Completed the Series by PHR, 2016






Infants with Post-Vaccine Serological Testing, 2013-17*





Infants with Post-Vaccine Serological Testing by PHR, 2016







Summary


Texas Department of State Health Services

Areas for improvement

- Identifying all pregnant women with hepatitis B infection
- Ensuring PHBPP infants are tested for immunity and infection after vaccination

Areas of success

- Vaccination of all infants at birth
- Prophylaxing exposed infants with HBV/HBIG at birth
- Completing the 3-dose HBV series





Texas Department of State Health Services

Thank you!

Questions?